

Cancer Deaths in Alaska, 1996 to 2006

Session Type: Rate

Suggested Citation

Software: Surveillance Research Program, National Cancer Institute SEER*Stat software (www.seer.cancer.gov/seerstat) version 6.5.2.

Data: Alaska Bureau of Vital Status SEER*Stat Database - Mortality data for death years 1996 to 2006. Released February 2009. Alaska population data for rate calculations are from the SEER Program (<http://www.seer.cancer.gov/popdata/>) and include populations by borough/census area, expanded races, and Hispanic origin.

Data

Database: AK Mortality w/Borough, Race, & Hispanic Pops (1996-2006), May 2009

Statistic

Statistic: Age-Adjusted Rates (Age recode with <1 year olds) (2000 US Std Population (19 age groups - Census P25-1130) standard)

P-Values: .05

Options: Display Confidence Intervals (Tiwari mod) and Standard Errors

Selection

Select Only: Known Age, Male or Female Sex

Table

Page: Year of death

Row: Cause of dth rec - Ca non-gender-specific [COD recode with Kaposi and mesothelioma]

Output

Title: Cancer Deaths in Alaska, 1996 to 2006

Suppress: Statistics based on fewer than 6 cases

Display Rates as: Cases per 100,000

Precision: 1 decimal place (default)

Cancer Deaths in Alaska, 1996 to 2006

Total

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	191.0	186.3	195.7	7,596
Oral Cavity and Pharynx	3.3	2.8	4.0	144
Lip	^	^	^	^
Tongue	0.5	0.3	0.8	23
Salivary Gland	0.3	0.1	0.5	10
Floor of Mouth	^	^	^	^
Gum and Other Mouth	0.4	0.2	0.7	18
Nasopharynx	0.9	0.6	1.3	40
Tonsil	0.1	0.0	0.2	6
Oropharynx	0.2	0.1	0.5	11
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	0.7	0.4	1.0	29
Digestive System	48.3	45.9	50.7	1,886
Esophagus	5.0	4.3	5.8	208
Stomach	5.6	4.8	6.4	236
Small Intestine	0.4	0.2	0.7	17
Colon and Rectum	18.8	17.3	20.4	687
Colon excluding Rectum	15.4	14.0	16.8	551
Rectum and Rectosigmoid Junction	3.4	2.8	4.1	136
Anus, Anal Canal and Anorectum	0.3	0.1	0.5	13
Liver and Intrahepatic Bile Duct	5.7	5.0	6.6	244
Liver	4.5	3.8	5.2	190
Intrahepatic Bile Duct	1.3	0.9	1.7	54
Gallbladder	0.7	0.4	1.1	25
Other Biliary	0.4	0.2	0.7	16
Pancreas	10.6	9.5	11.8	417
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	0.5	0.3	0.9	16
Respiratory System	56.3	53.8	58.8	2,241
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	0.8	0.5	1.1	30
Lung and Bronchus	55.3	52.9	57.8	2,203
Pleura	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	0.3	0.2	0.4	20
Soft Tissue including Heart	1.2	0.9	1.5	63

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006

	Total			
	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	2.5	2.1	3.1	126
Melanoma of the Skin	2.0	1.6	2.5	103
Other Non-Epithelial Skin	0.5	0.3	0.8	23
Urinary System	9.3	8.3	10.5	330
Urinary Bladder	4.9	4.2	5.8	156
Kidney and Renal Pelvis	4.2	3.5	4.9	167
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	4.1	3.6	4.8	211
Endocrine System	0.6	0.4	0.9	25
Thyroid	0.4	0.2	0.6	11
Other Endocrine including Thymus	0.2	0.1	0.4	14
Lymphoma	7.6	6.7	8.6	308
Hodgkin Lymphoma	0.4	0.2	0.7	21
Non-Hodgkin Lymphoma	7.2	6.3	8.2	287
Myeloma	3.7	3.0	4.4	138
Leukemia	7.2	6.3	8.2	280
Lymphocytic Leukemia	2.8	2.2	3.5	95
Acute Lymphocytic Leukemia	0.5	0.3	0.8	27
Chronic Lymphocytic Leukemia	2.0	1.5	2.6	58
Other Lymphocytic Leukemia	0.3	0.1	0.6	10
Myeloid and Monocytic Leukemia	3.0	2.4	3.6	135
Acute Myeloid Leukemia	2.1	1.7	2.6	100
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	0.6	0.4	0.9	27
Other Myeloid/Monocytic Leukemia	0.2	0.1	0.5	7
Other Leukemia	1.5	1.1	2.0	50
Other Acute Leukemia	0.5	0.3	0.8	16
Aleukemic, Subleukemic and NOS	1.0	0.6	1.4	34
Mesothelioma (ICD-10 only)	1.1	0.7	1.5	35
Miscellaneous Malignant Cancer	15.9	14.5	17.3	611

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006

1996

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	223.9	204.9	243.9	651
Oral Cavity and Pharynx	3.4	1.5	6.3	11
Lip	0.0	0.0	1.1	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	1.1	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	1.1	0
Oropharynx	0.0	0.0	1.1	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	55.2	45.7	65.9	150
Esophagus	4.4	1.9	8.2	11
Stomach	9.4	5.9	13.9	29
Small Intestine	^	^	^	^
Colon and Rectum	25.2	18.7	32.9	62
Colon excluding Rectum	21.2	15.3	28.5	52
Rectum and Rectosigmoid Junction	3.9	1.7	7.3	10
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	2.5	1.1	4.9	9
Liver	2.3	0.9	4.6	8
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	1.1	0
Pancreas	12.5	8.3	17.9	35
Retroperitoneum	0.0	0.0	1.1	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1.1	0
Other Digestive Organs	0.0	0.0	1.1	0
Respiratory System	65.9	56.0	76.8	187
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1.1	0
Larynx	0.0	0.0	1.1	0
Lung and Bronchus	65.6	55.8	76.5	186
Pleura	0.0	0.0	1.1	0
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	1.8	0.8	3.6	9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006

1996

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	4.3	2.3	7.4	16
Melanoma of the Skin	3.8	1.9	6.8	14
Other Non-Epithelial Skin	^	^	^	^
Urinary System	13.2	8.7	18.9	32
Urinary Bladder	5.6	2.7	9.9	12
Kidney and Renal Pelvis	7.0	4.0	11.2	19
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	1.1	0
Eye and Orbit	0.0	0.0	1.1	0
Brain and Other Nervous System	5.1	3.0	8.3	23
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	1.1	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	9.2	5.8	13.7	29
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	8.9	5.6	13.4	28
Myeloma	5.5	2.7	9.6	13
Leukemia	8.9	5.3	13.7	26
Lymphocytic Leukemia	4.1	1.6	7.9	9
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	3.8	1.4	7.6	7
Other Lymphocytic Leukemia	0.0	0.0	1.1	0
Myeloid and Monocytic Leukemia	3.6	1.7	6.5	14
Acute Myeloid Leukemia	1.5	0.5	3.5	7
Acute Monocytic Leukemia	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	1.1	0
Miscellaneous Malignant Cancer	19.7	14.3	26.2	55

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006

1997

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	195.0	178.1	212.9	615
Oral Cavity and Pharynx	3.9	2.0	6.8	14
Lip	0.0	0.0	1.1	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	1.1	0
Floor of Mouth	0.0	0.0	1.1	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	1.1	0
Oropharynx	0.0	0.0	1.1	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	44.9	36.8	54.1	135
Esophagus	3.4	1.5	6.5	9
Stomach	4.9	2.8	7.9	18
Small Intestine	^	^	^	^
Colon and Rectum	16.8	12.0	22.7	52
Colon excluding Rectum	13.3	9.1	18.4	42
Rectum and Rectosigmoid Junction	3.5	1.4	6.8	10
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	5.1	2.5	8.8	14
Liver	3.8	1.7	7.1	11
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	11.8	7.9	16.8	35
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	0.0	0.0	1.1	0
Other Digestive Organs	0.0	0.0	1.1	0
Respiratory System	60.4	51.7	70.2	198
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	2.3	0.7	5.1	6
Lung and Bronchus	57.7	49.2	67.1	191
Pleura	0.0	0.0	1.1	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.1	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	1.1	0.4	2.7	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006

1997

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	2.8	1.0	5.8	9
Melanoma of the Skin	1.7	0.5	4.0	7
Other Non-Epithelial Skin	^	^	^	^
Urinary System	8.3	5.0	12.8	23
Urinary Bladder	5.3	2.7	9.2	13
Kidney and Renal Pelvis	3.0	1.2	5.8	10
Ureter	0.0	0.0	1.1	0
Other Urinary Organs	0.0	0.0	1.1	0
Eye and Orbit	0.0	0.0	1.1	0
Brain and Other Nervous System	3.8	2.0	6.6	15
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	1.1	0
Lymphoma	6.3	3.7	9.9	22
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	5.9	3.3	9.4	20
Myeloma	3.7	1.6	7.0	9
Leukemia	6.8	3.9	10.8	23
Lymphocytic Leukemia	2.1	0.5	4.9	6
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	1.1	0
Myeloid and Monocytic Leukemia	2.9	1.4	5.4	11
Acute Myeloid Leukemia	2.2	0.8	4.5	7
Acute Monocytic Leukemia	0.0	0.0	1.1	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.1	0
Other Leukemia	1.8	0.5	4.3	6
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	1.1	0
Miscellaneous Malignant Cancer	16.5	11.9	22.2	50

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006

1998

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	200.0	183.3	217.6	649
Oral Cavity and Pharynx	4.3	2.2	7.6	14
Lip	0.0	0.0	1.0	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	1.0	0
Floor of Mouth	0.0	0.0	1.0	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	1.0	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	51.2	43.0	60.3	169
Esophagus	7.9	4.9	11.9	26
Stomach	8.3	5.4	12.1	32
Small Intestine	^	^	^	^
Colon and Rectum	17.8	12.8	23.8	52
Colon excluding Rectum	14.9	10.3	20.5	43
Rectum and Rectosigmoid Junction	2.8	1.2	5.5	9
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	6.7	3.9	10.4	21
Liver	4.9	2.6	8.1	16
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	8.7	5.7	12.6	31
Retroperitoneum	0.0	0.0	1.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1.0	0
Other Digestive Organs	0.0	0.0	1.0	0
Respiratory System	62.6	53.6	72.4	203
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	2.3	0.9	4.8	7
Lung and Bronchus	60.1	51.3	69.8	195
Pleura	0.0	0.0	1.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.0	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006

1998

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	2.5	1.2	4.7	11
Melanoma of the Skin	2.5	1.2	4.7	11
Other Non-Epithelial Skin	0.0	0.0	1.0	0
Urinary System	9.9	6.3	14.5	29
Urinary Bladder	6.6	3.7	10.6	18
Kidney and Renal Pelvis	3.3	1.5	6.0	11
Ureter	0.0	0.0	1.0	0
Other Urinary Organs	0.0	0.0	1.0	0
Eye and Orbit	0.0	0.0	1.0	0
Brain and Other Nervous System	4.1	2.2	6.8	17
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	1.0	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	11.1	7.3	15.9	34
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	10.7	7.0	15.5	33
Myeloma	1.8	0.6	4.0	6
Leukemia	8.1	4.8	12.6	24
Lymphocytic Leukemia	2.4	0.7	5.3	6
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	1.0	0
Myeloid and Monocytic Leukemia	4.8	2.4	8.3	15
Acute Myeloid Leukemia	3.5	1.6	6.5	12
Acute Monocytic Leukemia	0.0	0.0	1.0	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	1.0	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	0.0	0.0	1.0	0
Miscellaneous Malignant Cancer	10.8	7.1	15.5	32

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006

1999

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	190.6	174.4	207.7	622
Oral Cavity and Pharynx	^	^	^	^
Lip	0.0	0.0	1.0	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	1.0	0
Floor of Mouth	0.0	0.0	1.0	0
Gum and Other Mouth	0.0	0.0	1.0	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	1.0	0
Oropharynx	0.0	0.0	1.0	0
Hypopharynx	0.0	0.0	1.0	0
Other Oral Cavity and Pharynx	0.0	0.0	1.0	0
Digestive System	50.3	42.0	59.7	158
Esophagus	3.8	1.9	6.6	13
Stomach	6.1	3.7	9.2	24
Small Intestine	^	^	^	^
Colon and Rectum	21.2	15.7	27.8	61
Colon excluding Rectum	17.0	12.1	23.0	49
Rectum and Rectosigmoid Junction	4.2	2.0	7.4	12
Anus, Anal Canal and Anorectum	0.0	0.0	1.0	0
Liver and Intrahepatic Bile Duct	4.2	2.2	7.1	16
Liver	3.0	1.4	5.6	11
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	0.0	0.0	1.0	0
Pancreas	13.2	9.1	18.4	40
Retroperitoneum	0.0	0.0	1.0	0
Peritoneum, Omentum and Mesentery	0.0	0.0	1.0	0
Other Digestive Organs	^	^	^	^
Respiratory System	55.1	46.7	64.4	180
Nose, Nasal Cavity and Middle Ear	0.0	0.0	1.0	0
Larynx	^	^	^	^
Lung and Bronchus	54.1	45.8	63.3	177
Pleura	0.0	0.0	1.0	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	1.0	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	1.7	0.5	3.8	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006

1999

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	2.3	0.9	4.7	9
Melanoma of the Skin	1.7	0.6	3.8	7
Other Non-Epithelial Skin	^	^	^	^
Urinary System	10.4	6.6	15.3	27
Urinary Bladder	3.8	1.5	7.2	8
Kidney and Renal Pelvis	5.7	3.2	9.2	17
Ureter	^	^	^	^
Other Urinary Organs	^	^	^	^
Eye and Orbit	0.0	0.0	1.0	0
Brain and Other Nervous System	4.4	2.6	6.9	20
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	1.0	0
Lymphoma	6.8	4.0	10.5	24
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	6.4	3.7	10.1	22
Myeloma	4.8	2.6	8.1	15
Leukemia	6.8	3.9	10.8	21
Lymphocytic Leukemia	2.7	1.0	5.6	7
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	1.0	0
Myeloid and Monocytic Leukemia	2.5	1.0	5.0	10
Acute Myeloid Leukemia	1.7	0.5	3.8	7
Acute Monocytic Leukemia	0.0	0.0	1.0	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	2.6	1.0	5.2	8
Miscellaneous Malignant Cancer	19.0	14.3	24.7	65

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006

2000

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	210.3	193.7	227.8	708
Oral Cavity and Pharynx	5.6	3.4	8.7	23
Lip	0.0	0.0	0.9	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	1.8	0.7	3.7	7
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	0.9	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	50.5	42.4	59.5	162
Esophagus	5.1	3.0	7.9	21
Stomach	4.5	2.4	7.7	14
Small Intestine	^	^	^	^
Colon and Rectum	23.0	17.4	29.6	64
Colon excluding Rectum	18.9	13.8	25.0	52
Rectum and Rectosigmoid Junction	4.1	2.1	7.1	12
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	6.8	4.2	10.2	24
Liver	5.7	3.4	9.0	20
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	8.0	5.3	11.6	31
Retroperitoneum	0.0	0.0	0.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	0.9	0
Other Digestive Organs	^	^	^	^
Respiratory System	61.6	53.0	71.0	209
Nose, Nasal Cavity and Middle Ear	0.0	0.0	0.9	0
Larynx	^	^	^	^
Lung and Bronchus	60.2	51.7	69.6	205
Pleura	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	^	^	^	^
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006

2000

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	1.8	0.8	3.6	8
Melanoma of the Skin	1.8	0.8	3.6	8
Other Non-Epithelial Skin	0.0	0.0	0.9	0
Urinary System	10.3	6.8	14.8	32
Urinary Bladder	5.5	2.9	9.3	13
Kidney and Renal Pelvis	4.8	2.7	7.7	19
Ureter	0.0	0.0	0.9	0
Other Urinary Organs	0.0	0.0	0.9	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	2.9	1.4	5.1	13
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	0.0	0.0	0.9	0
Lymphoma	10.7	7.1	15.3	35
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	10.6	7.0	15.2	34
Myeloma	4.1	2.1	7.2	13
Leukemia	8.4	5.2	12.7	26
Lymphocytic Leukemia	3.0	1.3	5.8	9
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	2.5	0.9	5.3	6
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	3.8	1.9	6.6	14
Acute Myeloid Leukemia	3.3	1.5	5.9	12
Acute Monocytic Leukemia	0.0	0.0	0.9	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.9	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	15.8	11.4	21.1	52

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006

2001

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	193.3	177.9	209.6	680
Oral Cavity and Pharynx	4.7	2.5	7.8	15
Lip	0.0	0.0	0.9	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	0.9	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	0.9	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	0.9	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	53.3	45.3	62.0	187
Esophagus	4.6	2.6	7.5	17
Stomach	6.2	3.5	9.9	18
Small Intestine	^	^	^	^
Colon and Rectum	22.8	17.7	28.9	78
Colon excluding Rectum	17.7	13.1	23.1	57
Rectum and Rectosigmoid Junction	5.2	3.0	8.2	21
Anus, Anal Canal and Anorectum	0.0	0.0	0.9	0
Liver and Intrahepatic Bile Duct	6.6	4.1	9.8	26
Liver	5.1	3.0	8.0	21
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	10.9	7.6	15.1	40
Retroperitoneum	0.0	0.0	0.9	0
Peritoneum, Omentum and Mesentery	0.0	0.0	0.9	0
Other Digestive Organs	^	^	^	^
Respiratory System	55.3	47.3	64.1	197
Nose, Nasal Cavity and Middle Ear	0.0	0.0	0.9	0
Larynx	^	^	^	^
Lung and Bronchus	55.1	47.1	63.9	196
Pleura	0.0	0.0	0.9	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	0.9	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006

2001

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	0.9	0.3	2.2	6
Melanoma of the Skin	^	^	^	^
Other Non-Epithelial Skin	^	^	^	^
Urinary System	8.7	5.5	12.8	27
Urinary Bladder	5.5	3.0	9.1	14
Kidney and Renal Pelvis	3.2	1.6	5.7	13
Ureter	0.0	0.0	0.9	0
Other Urinary Organs	0.0	0.0	0.9	0
Eye and Orbit	0.0	0.0	0.9	0
Brain and Other Nervous System	4.4	2.5	7.0	21
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	0.9	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	6.3	3.8	9.6	24
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	5.9	3.5	9.1	22
Myeloma	4.7	2.5	7.8	15
Leukemia	5.5	3.2	8.7	19
Lymphocytic Leukemia	1.3	0.4	2.9	6
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	0.0	0.0	0.9	0
Myeloid and Monocytic Leukemia	2.5	1.1	4.8	9
Acute Myeloid Leukemia	1.8	0.7	3.9	7
Acute Monocytic Leukemia	0.0	0.0	0.9	0
Chronic Myeloid Leukemia	0.0	0.0	0.9	0
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	15.6	11.3	20.7	51

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006

2002

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	190.1	175.2	205.9	712
Oral Cavity and Pharynx	1.7	0.7	3.4	8
Lip	^	^	^	^
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	0.8	0
Gum and Other Mouth	0.0	0.0	0.8	0
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	0.8	0
Oropharynx	0.0	0.0	0.8	0
Hypopharynx	0.0	0.0	0.8	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	48.5	41.1	56.6	184
Esophagus	5.8	3.3	9.2	18
Stomach	6.8	4.2	10.1	25
Small Intestine	^	^	^	^
Colon and Rectum	17.8	13.5	23.0	66
Colon excluding Rectum	14.1	10.2	18.9	50
Rectum and Rectosigmoid Junction	3.7	2.0	6.2	16
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	4.5	2.7	7.2	21
Liver	3.5	1.9	5.9	16
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	10.0	7.0	13.8	42
Retroperitoneum	0.0	0.0	0.8	0
Peritoneum, Omentum and Mesentery	0.0	0.0	0.8	0
Other Digestive Organs	^	^	^	^
Respiratory System	51.9	44.4	60.1	200
Nose, Nasal Cavity and Middle Ear	0.0	0.0	0.8	0
Larynx	^	^	^	^
Lung and Bronchus	50.9	43.5	59.1	197
Pleura	0.0	0.0	0.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	0.8	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006

2002

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	3.8	2.0	6.4	17
Melanoma of the Skin	2.3	1.0	4.3	12
Other Non-Epithelial Skin	^	^	^	^
Urinary System	7.9	5.1	11.5	27
Urinary Bladder	3.6	1.7	6.4	11
Kidney and Renal Pelvis	3.4	1.7	5.9	13
Ureter	0.0	0.0	0.8	0
Other Urinary Organs	^	^	^	^
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	3.9	2.3	6.2	20
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	8.8	5.8	12.6	32
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	7.9	5.1	11.5	29
Myeloma	3.4	1.7	5.8	14
Leukemia	6.4	3.8	9.8	22
Lymphocytic Leukemia	3.0	1.3	5.6	10
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	2.3	0.9	4.7	7
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	1.7	0.6	3.6	7
Acute Myeloid Leukemia	^	^	^	^
Acute Monocytic Leukemia	0.0	0.0	0.8	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.8	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	14.7	10.7	19.6	52

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006

2003

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	188.2	173.7	203.4	732
Oral Cavity and Pharynx	4.9	2.8	7.7	19
Lip	0.0	0.0	0.8	0
Tongue	^	^	^	^
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	0.8	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	0.8	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	0.8	0
Other Oral Cavity and Pharynx	1.8	0.6	3.9	6
Digestive System	49.4	42.0	57.6	188
Esophagus	5.7	3.5	8.7	24
Stomach	4.9	2.8	7.8	19
Small Intestine	^	^	^	^
Colon and Rectum	18.0	13.6	23.3	65
Colon excluding Rectum	14.6	10.7	19.3	53
Rectum and Rectosigmoid Junction	3.4	1.7	6.1	12
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	7.5	4.8	11.0	29
Liver	5.9	3.6	9.1	23
Intrahepatic Bile Duct	1.5	0.5	3.3	6
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	10.7	7.4	14.8	40
Retroperitoneum	0.0	0.0	0.8	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	56.4	48.6	65.0	214
Nose, Nasal Cavity and Middle Ear	0.0	0.0	0.8	0
Larynx	^	^	^	^
Lung and Bronchus	56.2	48.5	64.8	213
Pleura	0.0	0.0	0.8	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	0.8	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006

2003

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	1.7	0.8	3.2	10
Melanoma of the Skin	1.4	0.6	2.8	8
Other Non-Epithelial Skin	^	^	^	^
Urinary System	13.0	9.2	17.8	41
Urinary Bladder	6.8	4.1	10.4	21
Kidney and Renal Pelvis	5.9	3.4	9.2	19
Ureter	^	^	^	^
Other Urinary Organs	0.0	0.0	0.8	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	4.5	2.6	7.1	19
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	7.3	4.8	10.6	31
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	6.3	4.0	9.4	26
Myeloma	2.9	1.5	5.1	13
Leukemia	6.2	3.8	9.4	24
Lymphocytic Leukemia	2.1	0.7	4.4	6
Acute Lymphocytic Leukemia	0.0	0.0	0.8	0
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	3.1	1.7	5.3	15
Acute Myeloid Leukemia	2.1	1.0	4.0	11
Acute Monocytic Leukemia	0.0	0.0	0.8	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	^	^	^	^
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	15.2	11.3	19.9	62

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006

2004

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	183.6	169.5	198.4	723
Oral Cavity and Pharynx	3.2	1.6	5.4	13
Lip	0.0	0.0	0.8	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	0.8	0
Floor of Mouth	^	^	^	^
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	0.0	0.0	0.8	0
Oropharynx	^	^	^	^
Hypopharynx	0.0	0.0	0.8	0
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	46.4	39.4	54.2	179
Esophagus	4.4	2.5	7.1	19
Stomach	4.5	2.5	7.3	17
Small Intestine	^	^	^	^
Colon and Rectum	16.5	12.3	21.5	59
Colon excluding Rectum	14.6	10.6	19.3	50
Rectum and Rectosigmoid Junction	1.9	0.8	3.8	9
Anus, Anal Canal and Anorectum	0.0	0.0	0.8	0
Liver and Intrahepatic Bile Duct	8.2	5.5	11.6	34
Liver	5.8	3.5	8.8	24
Intrahepatic Bile Duct	2.4	1.1	4.5	10
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	10.4	7.3	14.3	41
Retroperitoneum	0.0	0.0	0.8	0
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	58.6	50.8	67.1	231
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	57.9	50.2	66.3	228
Pleura	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	0.8	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	1.1	0.4	2.6	6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006

2004

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	2.4	1.0	4.4	10
Melanoma of the Skin	2.4	1.0	4.4	10
Other Non-Epithelial Skin	0.0	0.0	0.8	0
Urinary System	8.8	5.8	12.5	32
Urinary Bladder	5.7	3.3	9.0	17
Kidney and Renal Pelvis	3.1	1.6	5.2	15
Ureter	0.0	0.0	0.8	0
Other Urinary Organs	0.0	0.0	0.8	0
Eye and Orbit	0.0	0.0	0.8	0
Brain and Other Nervous System	4.4	2.7	6.8	24
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	4.3	2.5	6.9	18
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	3.9	2.1	6.4	16
Myeloma	3.2	1.6	5.6	12
Leukemia	5.0	3.0	7.8	22
Lymphocytic Leukemia	3.0	1.4	5.4	10
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	2.3	0.9	4.6	7
Other Lymphocytic Leukemia	0.0	0.0	0.8	0
Myeloid and Monocytic Leukemia	1.7	0.8	3.3	10
Acute Myeloid Leukemia	1.7	0.8	3.3	10
Acute Monocytic Leukemia	0.0	0.0	0.8	0
Chronic Myeloid Leukemia	0.0	0.0	0.8	0
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.8	0
Other Leukemia	^	^	^	^
Other Acute Leukemia	0.0	0.0	0.8	0
Aleukemic, Subleukemic and NOS	^	^	^	^
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	16.7	12.5	21.6	62

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006

2005

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	169.2	156.2	183.0	723
Oral Cavity and Pharynx	2.1	0.9	3.9	10
Lip	0.0	0.0	0.7	0
Tongue	0.0	0.0	0.7	0
Salivary Gland	^	^	^	^
Floor of Mouth	0.0	0.0	0.7	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	^	^	^	^
Tonsil	^	^	^	^
Oropharynx	^	^	^	^
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	40.4	34.1	47.5	169
Esophagus	4.2	2.5	6.6	22
Stomach	4.0	2.3	6.4	18
Small Intestine	^	^	^	^
Colon and Rectum	14.7	11.0	19.2	59
Colon excluding Rectum	11.0	7.8	15.0	44
Rectum and Rectosigmoid Junction	3.7	2.0	6.1	15
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	5.5	3.4	8.3	25
Liver	4.6	2.7	7.2	20
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	9.1	6.1	12.9	34
Retroperitoneum	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^
Other Digestive Organs	^	^	^	^
Respiratory System	50.8	43.8	58.5	214
Nose, Nasal Cavity and Middle Ear	0.0	0.0	0.7	0
Larynx	^	^	^	^
Lung and Bronchus	50.2	43.2	57.9	212
Pleura	0.0	0.0	0.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	0.7	0
Bones and Joints	^	^	^	^
Soft Tissue including Heart	^	^	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006

2005

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	3.4	1.8	5.6	16
Melanoma of the Skin	2.5	1.2	4.4	12
Other Non-Epithelial Skin	^	^	^	^
Urinary System	6.6	4.2	9.7	29
Urinary Bladder	3.0	1.4	5.3	12
Kidney and Renal Pelvis	3.6	2.0	6.0	17
Ureter	0.0	0.0	0.7	0
Other Urinary Organs	0.0	0.0	0.7	0
Eye and Orbit	^	^	^	^
Brain and Other Nervous System	3.7	2.1	5.9	20
Endocrine System	^	^	^	^
Thyroid	^	^	^	^
Other Endocrine including Thymus	^	^	^	^
Lymphoma	7.0	4.6	10.2	30
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	6.9	4.4	10.1	29
Myeloma	3.3	1.7	5.8	13
Leukemia	8.1	5.4	11.6	34
Lymphocytic Leukemia	3.5	1.7	6.0	13
Acute Lymphocytic Leukemia	1.3	0.4	3.0	6
Chronic Lymphocytic Leukemia	^	^	^	^
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	2.7	1.3	4.7	13
Acute Myeloid Leukemia	2.4	1.1	4.5	11
Acute Monocytic Leukemia	0.0	0.0	0.7	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.7	0
Other Leukemia	2.0	0.8	4.0	8
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	1.8	0.6	3.7	6
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	16.2	12.3	20.8	67

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006

2006

	Rate	Lower CI	Upper CI	Count
All Malignant Cancers	175.6	162.5	189.3	781
Oral Cavity and Pharynx	2.7	1.3	4.8	12
Lip	0.0	0.0	0.7	0
Tongue	^	^	^	^
Salivary Gland	0.0	0.0	0.7	0
Floor of Mouth	0.0	0.0	0.7	0
Gum and Other Mouth	^	^	^	^
Nasopharynx	1.4	0.5	3.0	6
Tonsil	^	^	^	^
Oropharynx	0.0	0.0	0.7	0
Hypopharynx	^	^	^	^
Other Oral Cavity and Pharynx	^	^	^	^
Digestive System	45.9	39.4	53.1	205
Esophagus	5.4	3.4	8.0	28
Stomach	4.0	2.4	6.3	22
Small Intestine	^	^	^	^
Colon and Rectum	17.1	13.1	21.8	69
Colon excluding Rectum	14.8	11.1	19.3	59
Rectum and Rectosigmoid Junction	2.2	1.0	4.2	10
Anus, Anal Canal and Anorectum	^	^	^	^
Liver and Intrahepatic Bile Duct	4.8	3.0	7.3	25
Liver	4.1	2.4	6.4	20
Intrahepatic Bile Duct	^	^	^	^
Gallbladder	^	^	^	^
Other Biliary	^	^	^	^
Pancreas	11.5	8.3	15.4	48
Retroperitoneum	0.0	0.0	0.7	0
Peritoneum, Omentum and Mesentery	0.0	0.0	0.7	0
Other Digestive Organs	^	^	^	^
Respiratory System	47.2	40.6	54.5	208
Nose, Nasal Cavity and Middle Ear	^	^	^	^
Larynx	^	^	^	^
Lung and Bronchus	46.3	39.8	53.6	203
Pleura	0.0	0.0	0.7	0
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.0	0.7	0
Bones and Joints	0.0	0.0	0.7	0
Soft Tissue including Heart	1.7	0.8	3.2	11

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.

Cancer Deaths in Alaska, 1996 to 2006

2006

	Rate	Lower CI	Upper CI	Count
Skin excluding Basal and Squamous	2.4	1.3	4.2	14
Melanoma of the Skin	1.8	0.9	3.4	11
Other Non-Epithelial Skin	^	^	^	^
Urinary System	7.5	4.9	10.7	31
Urinary Bladder	3.9	2.2	6.4	17
Kidney and Renal Pelvis	3.5	1.9	5.9	14
Ureter	0.0	0.0	0.7	0
Other Urinary Organs	0.0	0.0	0.7	0
Eye and Orbit	0.0	0.0	0.7	0
Brain and Other Nervous System	4.2	2.4	6.7	19
Endocrine System	^	^	^	^
Thyroid	0.0	0.0	0.7	0
Other Endocrine including Thymus	^	^	^	^
Lymphoma	7.2	4.6	10.4	29
Hodgkin Lymphoma	^	^	^	^
Non-Hodgkin Lymphoma	7.0	4.5	10.2	28
Myeloma	3.4	1.8	5.8	15
Leukemia	9.4	6.5	13.0	39
Lymphocytic Leukemia	3.8	1.9	6.4	13
Acute Lymphocytic Leukemia	^	^	^	^
Chronic Lymphocytic Leukemia	2.6	1.1	4.9	8
Other Lymphocytic Leukemia	^	^	^	^
Myeloid and Monocytic Leukemia	3.4	1.9	5.7	17
Acute Myeloid Leukemia	2.0	0.9	3.8	11
Acute Monocytic Leukemia	0.0	0.0	0.7	0
Chronic Myeloid Leukemia	^	^	^	^
Other Myeloid/Monocytic Leukemia	^	^	^	^
Other Leukemia	2.2	0.9	4.2	9
Other Acute Leukemia	^	^	^	^
Aleukemic, Subleukemic and NOS	1.8	0.7	3.7	8
Mesothelioma (ICD-10 only)	^	^	^	^
Miscellaneous Malignant Cancer	14.8	11.1	19.2	63

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

~ Statistic could not be calculated.

^ Statistic not displayed due to fewer than 6 cases.